Especificaciones

Eaton 170M6809D

Eaton Bussmann series high speed square body fuse, 690V, 550A, 200 kAIC, Combination fuse status indicator, Fuse, Din 43-620 blade end X Din 43-620 blade end, Class aR

General specifications	
PRODUCT NAME	Eaton Bussmann series high speed square body fuse
CATALOG NUMBER	170M6809D
UPC	051712335225
EAN	5027590252621
PRODUCT LENGTH/DEPTH	150 mm
PRODUCT HEIGHT	87 mm
PRODUCT WIDTH	71 mm
PRODUCT WEIGHT	1115 g
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	IEC Rated UL Recognized



Electrical data	
AMPERAGE RATING	550 A
VOLTAGE RATING	690 V (IEC), 700 V (UL)
VOLTAGE TYPE	AC
CLEARING (I2T)	140000 at 660 V
PRE ARC (I2T)	19500
WATT LOSSES	44 W
BREAKING CAPACITY	200 kA
CLASS	Class aR

Product specification		
APPLICATION	Semiconductor, DC Common bus, DC drives, power converters/rectifiers	
FUSE TYPE	DIN 43620 Bladed	
FUSE INDICATOR	Combination fuse status indicator	
FUSE SIZE	3	
FITTED WITH:	Dual indicator	

Recursos	
DECLARATIONS OF CONFORMITY	eaton-high-speed-square-body-fuse-declaration-of-conformity-uk250947en.pdf eaton-high-speed-square-body-fuse-declaration-of-conformity-eu250464en.pdf
MCAD MODEL	eaton-hs-square-body- fuses-mcad-3d-models- pdc0055a.stp

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
FECHA:



Eaton Corporation plc Eaton House Carretera 30 Pembroke Dublín 4, Irlanda Eaton.com

Follow us on social media to get the latest product and support information.









